



ANALYTICAL

Delta 9 Analytical

Professional, Accurate, Responsive

NC Controlled Substance License #: NC-DHHS-1002881
DEA Controlled Substance License #: RD0577986
ISO 17025 Certification: PENDING
Proficiency Testing Enrolled: Hemp PT Program U of Kentucky Regulatory Services

Laboratory Location
6308 Angus Drive, Ste B
Raleigh NC 27617
919-673-7153 / 919-450-1870
frank@delta9analytical.com
michael@delta9analytical.com

Client Name: **Monster Vape Labs**
Client Address: 1041 Crews Commerce Dr.
Orlando, FL 32837
Grower/Processor Lic#:

Sample ID: **1578**
Received Date: 01182021
Reported Date: 01192021
Test(s) Ordered: **Cannabinoids**

Sample Name: **Grape Syrup**
Sample Type: Extract; ND 01/04/21
Sample Matrix: **Syrup**; Exp 01_04
Sample Size: 4oz; 50 mg D8



CANNABINOID SUMMARY

TOTAL CANNABINOIDS: 0.03981%
Δ8-THC: 0.3981 mg/g (**47.78** mgs/4oz)
TOTAL THC: <0.005%
Δ9-THC: <0.005%

CANNABINOIDS (Liquid Chromatography Mass Spectrometry - LCMS)

ANALYTE	MASS (%)	MASS (mg/g)	LOQ (%)	ANALYTE	MASS (%)	MASS (mg/g)	LOQ (%)
Cannabinol (CBN)	ND	ND	0.005	Cannabidiolic Acid (CBDA)	ND	ND	0.005
Δ8-THC	0.03981	0.3981	0.005	Δ9-THC Acid (THCA)	ND	ND	0.005
Cannabichromene (CBC)	ND	ND	0.005	THC-varian (THCV)	ND	ND	0.005
Cannabigerol (CBG)	ND	ND	0.005	***Δ9-THC	<0.005	<0.05	0.005
Cannabidiol (CBD)	ND	ND	0.005	**TOTAL CANNABINOIDS	0.03981	0.3981	
Cannabigerolic Acid (CBGA)	ND	ND	0.005	*TOTAL THC	<0.005	<0.05	
Cannabidivarin (CBDV)	ND	ND	0.005	*TOTAL CBD	ND	ND	

*Calculated as follows: Total CBD/G = CBD/GA% (0.877) + CBD/G%. Total THC = THCA% (0.877) + Δ9-THC %. **Total Cannabinoids is the absolute sum of all cannabinoids detected. ND = Not Detected

RESULT CERTIFICATION

 01192021
Frank P. Maurio COO/Michael R. Horton CSO & Date



Scan QR Code to verify COA at www.delta9analytical.com

Testing results are based solely upon the sample submitted to Delta 9 Analytical, LLC. (D9A) In the condition it was received. D9A warrants that all analytical work is conducted professionally in accordance with all applicable standard practices using validated methods utilizing certified reference standards. ***The uncertainty of measurement associated with the measurement result reported in this certificate is available from D9A upon request. This report may not be reproduced, except in full, without the written approval of D9A.